Safety Data Sheet

BIOBOR® JF



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

Manufacturer Manufacturer	ChemTel Within United States; Canada; Puerto Rico; US Virgin Islands: 1-800-255-3924 Outside
1.4 Emergency telepho	
Telephone (Genera	www.biobor.com sales@biobor.com al) • (800) 548-9166
Manufacturer	Hammonds Fuel Additives, Inc. 6951 W Little York Rd Houston, TX 77040 United States
1.3 Details of the suppli Manufacturer	ier of the safety data sheet
Relevant identified use(s)	Biocide
1.2 Relevant identified	uses of the substance or mixture and uses advised against
Product Name	 Biobor® JF EPA REG. NO. 65217-1.
1.1 Product identifier	

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP	 Flammable Liquids 3 - H226 Serious Eye Damage 1 - H318
DSD/DPD	Flammable

- Irritant (Xi) R10, R41
- 2.2 Label Elements CLP



Hazard statements .

H226 - Flammable liquid and vapour H318 - Causes serious eye damage

Precautionary statements

Prevention •	 P210 - Keep away from heat, sparks, open flames and/or hot surfaces No smoking P233 - Keep container tightly closed. P240 - Ground and/or bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting/equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response •	 P370+P378 - In case of fire: Use appropriate media for extinction. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.
Storage/Disposal •	P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
DSD/DPD	
Risk phrases •	R10 - Flammable. R41 - Risk of serious damage to eyes.
Safety phrases •	S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.S39 - Wear eye/face protection.
2.3 Other Hazards	
CLP ·	According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
DSD/DPD •	According to European Directive 1999/45/EC this material is considered dangerous.

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

- OSHA HCS 2012
- Flammable Liquids 3 Serious Eye Damage 1
- **2.2 Label elements** OSHA HCS 2012





Hazard statements • Flammable liquid and vapour

Causes serious eye damage

Precautionary statements

,	
Prevention •	Keep away from heat, sparks, open flames and/or hot surfaces No smoking. Keep container tightly closed.
	Ground and/or bond container and receiving equipment.
	Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.
	Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.
Response •	In case of fire: Use appropriate media for extinction. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

Canada	
OSHA HCS 2012 •	Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.
2.3 Other hazards	
Storage/Disposal •	Store in a well-ventilated place. Keep cool. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
	water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Canada		
According	to:	WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Combustible Liquids B3 Corrosive - E
- 2.2 Label elements WHMIS



 Combustible Liquids - B3 Corrosive - E

2.3 Other hazards WHMIS

 In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

• Material does not meet the criteria of a substance.

3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
2,2' - (1-methyltrimethylenedioxy) bis - (4-methyl-1, 3, 2- dioxaborinane)	CAS: 2665-13-6 EC Number: 220- 198-4	0% TO 95%	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified	NDA
2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	CAS:14697-50-8 EC Number:238- 749-2	0% TO 95%	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified	NDA

May be referred as *mixture - Substituted Dioxaborinanes

CAS:8063-89-6

Naphtha	CAS: 64742-89-8 EC Number: 265- 192-2 EU Index: 649- 267-00-0	4.5%	Ingestion/Oral-Rat LD50 • >5 g/kg Skin-Rabbit LD50 • >3 g/kg	EU DSD/DPD: Annex VI, Table 3.2: Xn, R65 EU CLP: Annex VI, Table 3.1: Asp. Tox. 1, H304 OSHA HCS 2012: Flam. Liq. 3; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3: Narc. & Resp. Irrit.	NDA
Non-hazardous and other ingredients below reportable levels	NDA	Balance	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified	NDA

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation	 Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if symptoms occur.
Skin	 In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Wash skin with soap and water. If irritation develops and persists, get medical attention.
Eye	 In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.
Ingestion	 Immediately induce vomiting, as directed by medical personnel. Obtain medical attention immediately if ingested.
4.2 Most important sy	mptoms and effects, both acute and delayed
	Refer to Section 11 - Toxicological Information.
4.3 Indication of any	immediate medical attention and special treatment needed
Notes to Physician	 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media		
Suitable Extinguishing Media	RGE FIRES: Water spray, fog or alcohol-resistant foam. ALL FIRES: Dry chemical, CO2, water spray or alcohol-resi	istant foam.
Unsuitable Extinguishing Media	not use straight water stream.	
5.2 Special hazards arisir	m the substance or mixture	
Unusual Fire and Explosion Hazards	tainers may explode when heated. For explosion hazard indoors, outdoors or in sewers. HLY FLAMMABLE: Will be easily ignited by heat, sparks on by liquids are lighter than water. St vapors are heavier than air. They will spread along ground fined areas (sewers, basements, tanks). Holf to sewer may create fire or explosion hazard. Hors may form explosive mixtures with air.	

 Hazardous Combustion Products
 Smoke, soot, and toxic/irritating fumes (i.e., carbon dioxide, carbon monoxide, etc.)
 Structural firefighters
 Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk. LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

• Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures
 As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet) ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Stay upwind. Keep out of low areas.

6.2 Environmental precautions

• Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

 Containment/Clean-up Measures
 Stop leak if you can do it without risk. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean non-sparking tools to collect absorbed material. A vapor suppressing foam may be used to reduce vapors. All equipment used when handling the product must be grounded. LARGE SPILLS: Dike far ahead of liquid spill for later disposal. LARGE SPILLS: Water spray may reduce vapor; but may not prevent ignition in closed spaces.

6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

Storage

• Use only in well ventilated areas. Avoid contact with heat and ignition sources. Do not use sparking tools. Take precautionary measures against static charges. All equipment used when handling the product must be grounded. The container is hazardous when empty. Do not use heat, sparks, open flames, torches, cigarettes on or near empty container. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption or where skin contact can occur. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing mist, vapours and/or spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. If container is warm, open bung slowly to release internal pressure.

7.2 Conditions for safe storage, including any incompatibilities

• Keep container tightly closed. Store in a cool/low-temperature, well-ventilated dry place away from heat and ignition sources. Protect from direct sunlight. WARNING:

Hot organic chemical vapors or mists can suddenly, and without warning, combust when mixed with air. Ignition can occur at typical elevated temperature process conditions. Any use in such processes should be evaluated thoroughly to assure safe operating conditions.

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Naphtha (64742-89-8)	TWAs	Not established	100 ppm TWA; 400 mg/m3 TWA	100 ppm TWA; 400 mg/m3 TWA

8.2 Exposure controls

Engineering Measures/Controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof electrical/ventilating/lighting/equipment.
Personal Protective Equipment	
Respiratory	 In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.
Eye/Face	Wear chemical splash safety goggles.
Skin/Body	Wear appropriate gloves. Wear long sleeves and/or protective coveralls.
Environmental Exposure Controls	Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Yellow liquid with aromatic odor.
Color	Yellow	Odor	Aromatic
Odor Threshold	Data lacking		
General Properties	•		
Boiling Point	529 F(276.1111 C)	Melting Point/Freezing Point	Data lacking
Decomposition Temperature	Data lacking	рН	Data lacking

Specific Gravity/Relative Density	= 1.05 Water=1	Water Solubility	Moderately soluble
/iscosity Data lacking		Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility		÷	
Vapor Pressure	Data lacking	Vapor Density	> 1 Air=1
Evaporation Rate	< 1 n-Butyl Acetate = 1		
Flammability	·	·	
Flash Point	102 F(38.8889 C) TCC (Tagliabue Closed Cup)	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

• No additional physical and chemical parameters noted.

Section 10: Stability	y and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

• Hazardous polymerization will not occur.

10.4 Conditions to avoid

• Excess heat, sparks, open flame.

10.5 Incompatible materials

• Water. Oxidizers.

10.6 Hazardous decomposition products

• No data available

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components				
 64742- 89-8	Acute Toxicity: Ingestion/Oral-Rat LD50 • >5 g/kg; Ingestion/Oral-Woman TDLo • 20 mL/kg; <i>Lungs, Thorax, or</i> <i>Respiration</i> :Acute pulmonary edema; <i>Lungs, Thorax, or Respiration</i> :Respiratory depression; <i>Gastrointestinal</i> :Nausea or vomiting; Ingestion/Oral-Woman TDLo • 20 mL/kg; <i>Behavioral</i> :Somnolence (general depressed activity); <i>Lungs,</i> <i>Thorax, or Respiration</i> :Consolidation; <i>Gastrointestinal</i> :Nausea or vomiting; Skin-Rabbit LD50 • >3 g/kg; <i>Sense Organs and</i> <i>Special Senses:Eye</i> :Other; <i>Behavioral</i> :Food intake (animal); Irritation: Eye-Rabbit • 100 µL • Mild irritation; Skin-Rabbit • 500 µL • Moderate irritation; Tumorigen / Carcinogen: Skin-Mouse TDLo • 330 g/kg 88 Week(s)-Intermittent; <i>Tumorigenic</i> :Carcinogenic by RTECS criteria; <i>Skin and Appendages:Other</i> :Tumors			

GHS Properties	Classification		

Respiratory sensitization	EU/CLP • Data lacking			
	OSHA HCS 2012 • Data lacking			
Serious eye damage/Irritation	EU/CLP • Serious Eye Damage 1			
	OSHA HCS 2012 • Serious Eye Damage 1			
Acute toxicity	EU/CLP • Data lacking			
	OSHA HCS 2012 • Data lacking			
Aspiration Hazard	EU/CLP • Data lacking			
	OSHA HCS 2012 • Data lacking			
Carainaganiaitu	EU/CLP • Data lacking			
Carcinogenicity	OSHA HCS 2012 • Data lacking			
	EU/CLP • Data lacking			
Skin corrosion/Irritation	OSHA HCS 2012 • Data lacking			
Skin sensitization	EU/CLP • Data lacking			
	OSHA HCS 2012 • Data lacking			
STOT-RE	EU/CLP • Data lacking			
STOT-RE	OSHA HCS 2012 • Data lacking			
STOT-SE	EU/CLP • Data lacking			
5101-5E	OSHA HCS 2012 • Data lacking			
Taviaity for Downoduction	EU/CLP • Data lacking			
Toxicity for Reproduction	OSHA HCS 2012 • Data lacking			
	EU/CLP • Data lacking			
Germ Cell Mutagenicity	OSHA HCS 2012 • Data lacking			

Potential Health Effects

Inhalation	
Acute (Immediate)	May cause irritation.
Chronic (Delayed)	No data available.
Skin	
Acute (Immediate)	 May cause slight to mild irritation.
Chronic (Delayed)	Prolonged or repeated contact may dry the skin and lead to irritation (i.e. dermatitis)
Eye	
Acute (Immediate)	Causes serious eye damage.
Chronic (Delayed)	No data available.
Ingestion	
Acute (Immediate)	 May cause nausea, committing, pain and stomach upset (e.g., diarrhea)
Chronic (Delayed)	No data available.
Carcinogenic Effects	 This material does contain a component that may cause cancer, however based on regulatory criteria this material is not classified as a carcinogen.

Carcinogenic Effects					
CAS IARC NTP					

Key to abbreviations

TD = Toxic Dose

12.1 Toxicity	
	 No data is available on this product.
12.2 Persistence	and degradability
	 No data is available on this product.
12.3 Bioaccumula	ative potential
	 No data is available on this product.
12.4 Mobility in S	oil
	 No data is available on this product.
12.5 Results of P	BT and vPvB assessment
	 No PBT and vPvB assessment has been conducted.
12.6 Other advers	se effects
	 No studies have been found.

Section 13 - Disposal Considerations

Section 12 - Ecological Information

13.1 Waste treatment methods

Product waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number14.2 UN proper shipping name				14.5 Environmental hazards	
DOT	UN1993	Flammable liquids, n.o.s. (mixed dioxaborinanes, naphtha)	3	111	NDA	
TDG	UN1993	FLAMMABLE LIQUID, N.O.S. (mixed dioxaborinanes, naphtha)	3	11	NDA	
IMO/IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (mixed dioxaborinanes, naphtha)	3	III	NDA	
ΙΑΤΑ/ΙCΑΟ	UN1993	Flammable liquid, n.o.s. (mixed dioxaborinanes, naphtha)	3	11	NDA	

14.6 Special precautions for
user• None specified.14.7 Transport in bulk• Data lacking.

according to Annex II of MARPOL 73/78 and the IBC Code 14.8 Other information

• This product is not regulated if shipped in containers less than 2.5 gallons.

Section	15 -	Regulatory	Information
		5 7	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Fire

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
2,2' (1-methyltrimethylenedioxy) bis - (4-methyl-1,3,2-dioxaborinane)	2665-13-6	Yes	No	Yes	No	Yes
2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	14697-50-8	Yes	No	Yes	No	Yes
Naphtha	64742-89-8	Yes	No	Yes	No	Yes

Canada

canada - WHMIS - Classifications of Substances Naphtha	64742-89-8	B2
 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) 	8063-89-6	Not Listed
Canada - WHMIS - Ingredient Disclosure List		
Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed
nvironment		

64742-89-8	Not Listed
8063-89-6	Not Listed

United States

Labor U.S OSHA - Process Safety Management - Highly Hazardous Chemicals		
• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed
U.S OSHA - Specifically Regulated Chemicals		
Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed
Environment U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities Naphtha 	64742-89-8	Not Listed
- марнина	04142-03-0	

• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities		
Naphtha	64742-89-8	Not Listed
 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) 	8063-89-6	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Naphtha	64742-89-8	Not Listed
 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) 	8063-89-6	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
Naphtha	64742-89-8	Not Listed
 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) 	8063-89-6	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
Naphtha	64742-89-8	Not Listed
 • 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) 	8063-89-6	Not Listed
, , , , , , , , , , , , , , , , , , ,		

United States - California

Environment U.S California - Proposition 65 - Carcinogens List			
Naphtha	64742-89-8	Not Listed	
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed	
U.S California - Proposition 65 - Developmental Toxicity	64742.80.8	Not Listad	
 Naprina 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) 	8063-89-6	Not Listed	
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL))		
Naphtha	64742-89-8	Not Listed	
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed	
 Naphtha 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL) Naphtha) 64742-89-8	Not Listed	

 U.S California - Proposition 65 - No Significant Risk Levels (NSRL) Naphtha 	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed
 U.S California - Proposition 65 - Reproductive Toxicity - Female Naphtha 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) 	64742-89-8 8063-89-6	Not Listed Not Listed
 U.S California - Proposition 65 - Reproductive Toxicity - Male Naphtha 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane) 	64742-89-8 8063-89-6	Not Listed Not Listed

15.2 Chemical Safety Assessment

• No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Relevant Phrases (code & full text)

•	/
	 H304 - May be fatal if swallowed and enters airways
	R65 - Harmful: may cause lung damage if swallowed.
Revision Date	• 24/April/2020
Preparation Date	• 01/January/2013
Disclaimer/Statement of Liability	• USER'S RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions - in addition to those described herein - are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be. DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.
Key to abbreviations	

Key to abbreviations

NDA = No data available